



भारत सरकार Government of India  
रक्षा मंत्रालय Ministry of Defence  
रक्षा लेखा महानियंत्रक Controller General of Defence Accounts  
उलान बटार रोड, पालम, दिल्ली छावनी-110010  
Ulan Batar Road, Palam, Delhi Cantt – 110010  
(EDP SECTION) Fax: 011-25675030.  
E-mail: [cgdanewdelhi@nic.in](mailto:cgdanewdelhi@nic.in)



No: EDP/177/HW/2015-16

Dated: 30/12/2015

To

All PCsDA /PIFAs/CsDA/ IFAs

(Through Website)


Sub: Safety measures for IT hardware from natural calamities/ unforeseen circumstances.

Ref: HQrs Circular no: EDP/177/HW/2015-16 dated 10/12/2015.

\*\*\*\*\*

Please refer to HQrs Circular mentioned above wherein PCsDA /PIFAs/CsDA/ IFAs were requested to take suitable measures to safe guard the IT hardware in their organization from unforeseen natural calamities i.e flood/ heavy rain etc. Few measures were also suggested i.e to place the Servers, routers, modems etc on first floor/ upper floors of office and to take backup of database from time to time.

2. In this regard it is requested to furnish the action taken report on the above subject by 15<sup>th</sup> January 2016 .

  
(Vinay Khanna)  
Sr.ACGDA (IT)